NCIN <u>Haematology</u> TSSG Clinical Chairs workshop

Going Further On Cancer Waits & MDT Effectiveness

30 November 2009

Cheryl Cavanagh National Cancer Action Team



<u>GFOCW</u>

> Quick recap of standards & 'counting'

Issues to consider - views from a Haematological perspective would be welcome

MDT Development Programme > Key issues from questionnaire > Next steps



Going Further On Cancer Waits (GFOCW)



CANCER WAITS STANDARDS

<u>3 Original CWT standards</u>

- > 2ww urgent GP referral for suspected cancer
- > 31d first treatment
- 62d urgent GP referral to treatment (31d for some groups)

4 GFOCW standards now in operation (from 1 Jan 09):

- > 62 day NHS cancer screening programmes
- > 62 day consultant upgrades
- > 31 day subsequent treatment (surgery)
- > 31 day subsequent treatment (drug treatment)

3 GFOCW standards to follow:

- > 2ww all pts with breast symptoms (1 Jan 2010)
- > 31 day radiotherapy (1 Jan 2011)
- > 31 day other treatments (1 Jan 2011)

Note: 2ww/62d start date has changed from GP decision to refer



NEW PAUSE MODEL

From 1 January 2009, only two types of pause allowed:

- DNA initial outpatient appointment
- decline 'reasonable' offer of <u>admitted</u> treatment

Pauses are no longer allowed:

- when a patient defers a 2ww appointment;
- during the diagnostic phase of the 62-day period;
- for waits for non-admitted treatment;
- for any medical suspensions.

Areas where pauses would previously have been allowed have been taken into account in revised operational tolerances/standards



Q1 PERFORMANCE & OPERATIONAL THRESHOLDS

| Vital Signs Reference | Standard | Performance | Operational Tolerance |
|--------------------------|---|-------------|--------------------------|
| EXC05 | All Cancer Two Week Wait | 94.1% | 93% |
| EXC06 | All Cancer 31-Day First Treatment | 98.1% | 96% |
| EXC07 | All Cancer 62-Day (Urgent Referral to Treatment) | 86.0% | 85% |
| VSA11-B | 31-Day Subsequent Treatment (Surgery) | 95.1% | 94% |
| VSA11-A | 31-Day Subsequent Treatment (Anti-Cancer Drug Regimen) | 99.2% | 98% |
| VSA13-A | 62-Day Wait (Screening Service Referral to Treatment) | 94.5% | 90% |
| VSA13-B | 62-Day Wait (Consultant Upgrade to Treatment) | 94.7% | - |



Above tolerance at a national level <u>BUT</u> there will be some individual Trusts that are struggling – do we know why?

> Using 62d standard as an example:

- are inter provider transfers an issue?
- are specific cancer pathways an issue?
- are patient pathways proactively managed?
- how were adjustments previously used?



62d CLASSIC – POSITION FOR HAEM IN Q1

Trust Performance is not assessed nationally at tumour/cancer specific level.

Threshold is for all cancers taken together – some cancer types should exceed it others unlikely to achieve it.

National Haem performance was 88.4% but 48 Trusts were below 85% tolerance



62D CLASSIC – POSITION FOR HAEM IN Q1

- > 917 patients had FDT ending a 62d Haem cancer pathway in Q1.
- > 147 Trusts reported treating these 62d Haem cancer patients in Q1. Of these:
 - 119 Trust reported on less than 10 patients
 - 25 Trusts reported on 10-19 patients
 - 3 Trusts reported on 20+ patients
- > Of 28 trusts reporting on 10+ pts 14 were below tolerance (range 71.4-84.6%):



GENERAL ISSUES TO CONSIDER

≻ <u>2ww</u>:

- Local access policies need to be in line with CWT rules and 'the spirit of the rules'
- Communication between GPs & patients and between primary & secondary care
- ≻ <u>31d FDT</u>
 - Active monitoring is not a substitute for 'thinking time'

62d upgrade:

- Are consultants aware they can do this?
- Are their local processes in place to support this when needed?
- 31d Subsequent radiotherapy (non-live standard):
 - Data completeness is a concern so performance data cannot be relied on (yet)



How can NCIN Haem SSCRG help with GFOCW?

- Sense check ie. is national & local Haem performance for CWT standards what you would expect?
- Advice on issues that may impact on Haem performance at national level on any or all of the standards?
- Source of support/advice for Trusts/networks struggling with standard(s) for Haem
- Sounding board for Haem-specific CWT queries and/or NCAT Haem-specific waits guidance



MDT Development Work Programme



Survey ran for ~6wks (30 Jan – 16 Mar 09)

Sent to MDT members via Cancer Networks and Cancer Service Managers.

52 ?s covering perceptions and facts (22 multiple choice, 9 fact based & 21 free text).

Presenting responses from MDT core & extended members (2054)



Survey Participants: By Professional Group

> 53% Doctors of which:

- 16% Surgeons
- 8% Oncologists
- 6% Radiologists
- 6% Histo/cyto pathologists
- 5% Haematologists
- > 26% Nurses
- > 15% MDT Co-ordinators
- > 4% AHPs
- > 2% Other (e.g. admin / managerial)

> Just under half were members of multiple MDTs:

- 51% were members of only 1 MDT
- 27% were members of 2 MDTs
- 12% were members of 3 MDTs
- 6% were members of 4 MDTs
- 5% were members of more than 5 MDTs!



Survey: Overall Finding

Very high consensus on what is important for effective MDT functioning.

Very little difference between views of different professional groups or members of different tumour MDTs.

General agreement that:

- a means of self assessment is needed for MDTs
- a variety of support tools/mechanisms need to be available.



CHARACTERISTICS OF AN EFFECTIVE MDT: THEMES

> The Team:

- Membership & attendance (99%)
- Team working (99%)
- Leadership (95%)
- Development & training (78%)
- Meeting Organisation & Logistics:
 - Organisation / admin during meeting (98%)
 - Preparation for MDT meetings (96%)
- > Infrastructure:
 - Technology (availability & use) (93%)
 - Physical environment of venue (78%)
- Clinical decision making:
 - Case management & process (99%)
 - Patient centre care / co-ordination of services (93%)
- > Team governance:
 - Data collection, analysis & audit (90%)
 - Clinical Governance (84%)



SOME KEY FINDINGS

- > MDTs need support from their Trusts
- MDT members need protected time for preparation, travel & attendance at meetings
- Leadership is key to effective team working
- Dedicated MDT meeting rooms should be the gold standard with robust and reliable technology
- MDTs have a role in data collection
- All clinically appropriate options (incl trials) should be considered even if not offered locally
- Patient views should be presented by someone who has met the patient



Survey: Tumour Specific Issues

Of the 51% (1339) of professionals covering 1 tumour type 13% (174) were just members of Haematological cancer MDTs. Of these:

- 36.7% reported spending 30-60mins preparing for each meeting and 31.6% reported spending <30 mins;
- 33.1% thought 60-90 mins was max time a meeting should last with 31.3% preferring 90-120 mins;
- 46.0% thought the optimum no. of haem cases to consider at a meeting was up to 15 and 36.7% thought is was 16-25 cases.



Survey: Cancer Site Specific Issues (..2)

- In terms of views on other questions there was little difference btw tumour areas although there were a few areas where Haem members were slightly more or less likely than those from other cancer areas to agree or disagree with certain statements. For example:
- Least likely to rate 'patient centred care/co-ordination of service' as important as a domain (88%)
- > Least likely to agree that MDTs result in:
 - increased proportion of patients considered for trials (58% vs 93%)
 - improved survival (58% vs 91%)
 - improved patient involvement in treatment decisions (34% vs 73%)
- Least likely to report having a 'data collector' (46%)
- Most likely to report having access to v/c facilities (62%)



Survey: Cancer Site Specific Issues (...3)

- > Most likely to agree that:
 - a patient's case should <u>not</u> be discussed unless someone is present who has been involved in assessing the patient (83%)
 - meetings should <u>not</u> take place outside core hours (93%)
- Least likely to agree:
 - the same individual should chair the MDT on a regular basis (72%)
 - the MDT has a role in management of cancer waits (76%) vs 82-94% in other common tumours
 - SPC attendance at all meetings is essential (21%)
 - a good MDT could save time elsewhere (75% vs 88-94%)
 - there is a need for tools to support self assessment & performance appraisal (79% vs 93%)
 - a facilitated awayday to review and reflect on MDT strategies to improve performance would be helpful (67% vs 81-90%)
 - being an MDT member improved job satisfaction (69% vs 87%)
- Least likely to want:
 - an awayday with own team (46% vs 71%)
 - personal psychometric testing (69% said no)



Survey: Cancer Site Specific Issues (..4)

- Haematologists (rather than all haem MDT members taken together) were:
 - least likely to agree documented decisions should be projected for members to view (72%)
 - least likely to agree that it should be possible to bring a private patients to the MDT meeting for discussion (84%)
 - most likely to agree (91%) that all MDT core members need to do some prep prior to meeting



Next Steps

- Report plus background analysis available: www.ncin.org.uk/mdt
- > Issue characteristics of an effective MDT based on findings
- Pilot approaches to self assessment & feedback
- Identify potential content for MDT development package
- Develop MDT DVD to highlight in an entertaining & informative way impact of poor working practices, poor working environments, poor technology and unhelpful behaviours!
- Develop toolkit including:
 - examples of local practice to build and expand on locally if desired.
 - national products such as: checklists, proformas, specifications & templates for local adaptation as required.



> Identify 'volunteer' MDTs for pilot work

Share local practice for toolkit

Cascade messages/products from programme to local MDTs



Any questions or Issues you want to raise on GFOCW or MDT Development?



